

Material: AFNOR NF 16 Mo 3

Standard Specification for Seamless Steel Tubes for Pressure Purposes

Group: Ferrous Mild Steel Alloys

Sub Group: AFNOR NF 16 Mo 3 Seemless Steel Tubes for Pressure Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Steel and Tube

Heat Treatment

Mechanical Properties	
Tensile Strength in Mpa	410 - 600
Yield Strength in Mpa	210 min.
Elongation in %	19 min.
Reduction of Area in %	-
Hardness in BHN	-
Impact in Joule	27 J @ RT

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
1.5415	EN	European Union	Tube
16 Mo 3	BS	British	Steel and Tube
16 Mo 3	DIN	Germany	Steel and Tube
16 Mo 3	ISO	International	Steel, Forging, Rolling and Bar
16 Mo 3	NBN	Belgium	Steel and Tube
16 Mo 3	STAS	Romania	Steel and Plates
16 Mo 3	UNI	Italy	Steel and Tube

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com