

Material: ASME SB-150 C62400

Standard Specification for Aluminum Bronze Rod, Bar and Shapes

Group: Non-Ferrous Copper Alloy

Sub Group: ASME SB-150 Aluminum Bronze Rod, Bar and Shapes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries Grade

Belongs to the Industry: Rod, Bar and Shape

Chemical Composition		
Aluminium	Al %	10.000 - 11.500
Iron	Fe %	2.000 - 4.500
Manganese	Mn %	0.300 max.
Silicon	Si %	0.250 max.
Tin	Sn %	0.200 max.
Cu + Ag	Cu% + Ag%	82.200 - 89.500
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
As Drawn or Stress Relieving or Hot Rolled or Hardening and Tempering

Mechanical Properties	
Tensile Strength in Mpa	620 - 655
Yield Strength in Mpa	240 - 310
Elongation in %	10 - 12
Reduction of Area in %	-
Hardness in BHN	-
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
C62400	UNS	USA	Rod, Bar, Tube and Shapes
B150 C62400	ASTM	USA	Rod, Bar and Shape
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India