

Material: ASME SB-171 C63000

Standard Specification for Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers and Heat Exchangers

Group: Non-Ferrous Copper Alloy

Sub Group: ASME SB-171 Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers and Heat Exchangers

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Plate and Sheet

Chemical Composition		
Aluminium	Al %	9.000 - 11.000
Iron	Fe %	2.000 - 4.000
Manganese	Mn %	1.500 max.
Ni + Co	Ni% + Co%	4.000 - 5.500
Silicon	Si %	0.250 max.
Tin	Sn %	0.200 max.
Zinc	Zn %	0.300 max.
Cu + Ag	Cu% + Ag%	Balance
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment	
Normalizing or Annealing or Tempering	

Mechanical Properties	
Tensile Strength in Mpa	550 - 620
Yield Strength in Mpa	195 - 235
Elongation in %	10 min.
Reduction of Area in %	-
Hardness in BHN	-
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
B124 C63000	ASTM	USA	Rod, Bar and Shapes
B150 C63000	ASTM	USA	Rod, Bar and Shape
B171 C63000	ASTM	USA	Plate and Sheet
B283 C63000	ASTM	USA	Forging
SB-150 C63000	ASME	USA	Rod, Bar and Shape
SB-283 C63000	ASME	USA	Forging
C63000	UNS	USA	Rod, Bar and Shape

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India