

Material: ASTM A 510 1049

Standard Specification For Carbon Steel Compositions For Forging To Hot-Rolled And Cold-Finished Wire Rods, Round Wire and Steel

Group: Ferrous Mild Steel Alloys

Sub Group: ASTM A 510 1049 Carbon Steel Compositions For Forging To Hot-Rolled And Cold-Finished Wire Rods, Round Wire and Steel

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Wire Rods, Round Wire and Steel

Chemical Composition			Heat Treatment
Carbon	C %	0.460 - 0.530	As Raw or Annealing or Normalizing or Hardening and Tempering
Manganese	Mn %	0.600 - 0.900	
Phosphorus	P %	0.040 max.	
Sulphur	S %	0.050 max.	
Boron	B %	0.0008 max.	
Iron	Fe %	Balance	
-	-	-	
-	-	-	
-	-	-	
-	-	-	
Mechanical Properties			
Tensile Strength in Mpa			600 - 670
Yield Strength in Mpa			330 min.
Elongation in %			10 min.
Reduction of Area in %			30 - 40
Hardness in HB			179 - 197
Impact in Joule			-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
G10490	UNS	USA	Bars, Wire Rods, Plates, Strip, Sheets and Tubing
1049	SAE	USA	Steel
1049	AISI	USA	Bar
A 830 G10490	ASTM	USA	Plate and Steel
A 830 1049	ASTM	USA	Plate and Steel
A 576 10L49	ASTM	USA	Steel
A 29 1049	ASTM	USA	Steel and Bar

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com