

Material: BS EN 10213 GX2CrNi19-11

Standard Specification for Steel Castings for Pressure Purposes

Group: Ferrous Stainless Steel Alloys

Sub Group: BS EN 10213 GX2CrNi19-11 Steel Castings for Pressure Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Plate, Tubes and Forging

Chemical Composition		
Carbon	C %	0.030 max.
Silicon	Si %	1.500 max.
Manganese	Mn %	2.000 max.
Phosphorus	P %	0.035 max.
Sulphur	S %	0.025 max.
Chromium	Cr %	18.000 - 20.000
Nickel	Ni %	9.000 - 12.000
Copper	Cu %	0.500 max.
Nitrogen	N %	0.200 max.
Iron	Fe %	Balance
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
Normalizing or Quenching or Solution Annealing

Mechanical Properties	
Tensile Strength in Mpa	210 min.
Yield Strength in Mpa	165 min.
Elongation in %	-
Reduction of Area in %	-
Hardness in BHN	-
Impact in Joule	80 J @ RT

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
1.4309	ISO	International	Casting
GX2CrNi19-11	ISO	International	Casting
A 743 Grade CF-3	ASTM	USA	Casting
A 743 J92500	ASTM	USA	Casting
A 744 Grade CF-3	ASTM	USA	Casting
GX2CrNi19-11	SFS	Finland	Casting
GX2CrNi19-11	DIN	Germany	Casting

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India