

Material: DIN 2.4879

Standard Specification for Nickel and Nickel Alloy Castings

Group: Non-Ferrous Nickel Alloys

Sub Group: DIN 2.4879 Nickel and Nickel Alloy Castings

Application: Intended for Valve, Pump, General Engineering, Automotive and other Industries

Grade Belongs to the Industry: Casting

Chemical Composition		
Carbon	C %	0.350 - 0.500
Silicon	Si %	0.500 - 2.000
Manganese	Mn %	0.500 - 1.500
Chromium	Cr %	27.000 - 30.000
Phosphorus	P %	0.045 max.
sulphur	S %	0.030 max.
Tungsten	W %	4.000 - 5.500
Nickel	Ni %	47.000 - 50.000
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
As-Cast or Annealing or Age Hardning

Mechanical Properties	
Tensile Strength in Mpa	400 - 600
Yield Strength in Mpa	220 min.
Elongation in %	3 min.
Reduction of Area in %	-
Hardness in BHN	-
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
1.4879	DIN	Germany	Casting
2.4679	DIN	Germany	Casting
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India