

Material: DIN EN 12844 ZP0610 I ZP6

Standard Specification For Zinc and Zinc Alloy Castings

Group: Non-Ferrous Zinc Alloys

Sub Group: DIN EN 12844 ZP0610 I ZP6 Zinc and Zinc Alloy Castings

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Casting

Chemical Composition		
Aluminium	Al %	5.400 - 6.000
Copper	Cu %	1.100 - 1.700
Magnesium	Mg %	0.005 max.
Lead	Pb %	0.005 max.
Cadmium	Cd %	0.005 max.
Tin	Sn %	0.002 max.
Iron	Fe %	0.050 max.
Nickel	Ni %	0.020 max.
Silicon	Si %	0.030 max.
Zinc	Zn %	Balance
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
As-Cast

Mechanical Properties	
Tensile Strength in Mpa	-
Yield Strength in Mpa	-
Elongation in %	-
Reduction of Area in %	-
Hardness in HB	-
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
ZnAl6Cu1	UNE	Spain	Casting
2.2161	DIN	Germany	Ingot and Casting
2.2161.01	DIN	Germany	Casting
2.2161.02	DIN	Germany	Casting
GB-ZnAl6Cu1	DIN	Germany	Ingot and Casting
GK-ZnAl6Cu1	DIN	Germany	Ingot and Casting
G-ZnAl6Cu1	DIN	Germany	Ingot and Casting

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India