

Material: DIN NiCr21Mo6Cu

Standard Specification for Strips and Sheets of Nickel and Nickel Alloys

Group: Non-Ferrous Nickel Alloys

Sub Group: DIN NiCr21Mo6Cu Strips and Sheets of Nickel and Nickel Alloys

Application: Intended for Valve, Pump, General Engineering, Automotive and other Industries

Grade Belongs to the Industry: Strip and Sheet

Chemical Composition		
Carbon	C %	0.025 max.
Silicon	Si %	0.500 max.
Manganese	Mn %	1.000 max.
Chromium	Cr %	20.000 - 23.000
Aluminium	Al %	0.200 max.
Copper	Cu %	1.500 - 3.000
Cobalt	Co %	1.000 max.
Molybdenum	Mo %	5.500 - 7.000
Phosphorus	P %	0.025 max.
Sulphur	S %	0.015 max.
Titanium	Ti %	0.600 - 1.000
Nickel	Ni %	39.000 - 46.000
Iron	Fe %	Balance
-	-	-
-	-	-

Heat Treatment
As-Cast or Annealing or Age Hardning

Mechanical Properties	
Tensile Strength in Mpa	550 min.
Yield Strength in Mpa	220 min.
Elongation in %	30 min.
Reduction of Area in %	-
Hardness in HB	220 max.
Impact in Joule	-

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
2.4641	DIN	Germany	Strip and Sheet
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India