

Material: EN 1.4424

Standard Specification for Seamless Steel Tubes for Pressure Purposes

Group: Ferrous Stainless Steel Alloys

Sub Group: EN 1.4424 Seamless Steel Tubes for Pressure Purposes

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries

Grade Belongs to the Industry: Steel and Tube

Chemical Composition		
Carbon	C %	0.030 max.
Silicon	Si %	1.400 - 2.000
Manganese	Mn %	1.200 - 2.000
Phosphorus	P %	0.035 max.
Sulphur	S %	0.015 max.
Chromium	Cr %	18.000 - 19.000
Molybdenum	Mo %	2.500 - 3.000
Nickel	Ni %	4.500 - 5.200
Nitrogen	N %	0.050 - 0.100
Iron	Fe %	Balance
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Heat Treatment
Solution Annealing

Mechanical Properties	
Tensile Strength in Mpa	680 - 900
Yield Strength in Mpa	400 min.
Elongation in %	25 min.
Reduction of Area in %	-
Hardness in HB	260 max.
Impact in Joule	60 J @ RT

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
10216-5 EN 1.4424	BS	British	Tube
1.4424	DIN	Germany	Steel and Tube
X2CrNiMoSi18-5-3	EN	European Union	Steel and Tube
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com



+91-99090 45075



info@icastllp.com



ICAST ALLOYS LLP, Plot 2527, Road H1, Kranti Gate, GIDC Metoda, Lodhika, Rajkot-360021, Gujarat, India