

Material: ASTM A240 UNS S31640

Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications

Group: Ferrous Stainless Steel Alloys

Sub Group: ASTM A240 Chromium and Chromium-Nickel Stainless Steel for Pressure Vessels and for General Applications

Application: Intended for Valve, Pump, General Engineering, Automotive and Other Industries Grade

Belongs to the Industry: Steel, Plate, Sheet and Strip

Chemical Composition			Heat Treatment			
Carbon	C %	0.080 max.	Solution Annealing			
Silicon	Si %	0.750 max.				
Manganese	Mn %	2.000 max.				
Phosphorus	P %	0.045 max.				
Sulphur	S %	0.030 max.				
Chromium	Cr %	16.000 - 18.000				
Nickel	Ni %	10.000 - 14.000				
Molybdenum	Mo %	2.000 - 3.000				
Nitrogen	N %	0.100 max.				
Niobium	Nb %	10*C - 1.100 max.				
Iron	Fe %	Balance	<th colspan="2">Mechanical Properties</th>		Mechanical Properties	
-	-	-	Tensile Strength in Mpa	515 min.		
-	-	-	Yield Strength in Mpa	205 min.		
-	-	-	Elongation in %	30 min.		
-	-	-	Reduction of Area in %	-		
-	-	-	Hardness in BHN	217 max.		
-	-	-	Impact in Joule	-		

Cross Reference Table			
Material	Standard	Country	Grade Belong to the Industry
316Cb	SAE	USA	Steel
A276 316Cb	ASTM	USA	Steel, Bar and Shape
A314 316Cb	ASTM	USA	Steel, Bar, Rolling and Forging
A479 316Cb	ASTM	USA	Steel and Bar
A167 Type 316Cb	ASTM	USA	Steel, Sheet, Strip and Plate
A368 Type 316Cb	ASTM	USA	Steel and Wire
A959 Type 316Cb	ASTM	USA	Steel

Disclaimer: All information displayed in our data sheets are for reference purpose only and are sole property of their respective owners. Information and or material are used for educational purposes only. Data at actual may vary at actual and case to case basis. ICAST Alloys LLP does not guarantee validity of these parameters. Warranties and liabilities are exclusive to our terms and conditions of business.

Customer Care: +91-99090 45075 Email: info@icastllp.com